

# CubeCell<sup>TM</sup> Series

# AT command user manual

# **Release notes**

Edition	Modification item	Modification time
V0.1	- First public release	2019.10.21
V0.2	<ul><li>Add user AT command;</li><li>Correction of clerical and presentation errors.</li></ul>	2019.12.16
V0.3	<ul> <li>AT command version update to V0.9;</li> <li>Add node-to-node communication parameter configuration commands;</li> <li>Add copyright disable command;</li> <li>Add set channel mask command.</li> </ul>	2020.6.29
V0.4	<ul> <li>AT command version update to V1.0;</li> <li>Spreading factor support to 5~12 in node-to-node communication mode;</li> <li>SNR will be print in node-to-node communication mode.</li> </ul>	

# **Table of Contents**

AΤ	con	mmand user manual	1
Rel	eas	se notes	2
	1.	Summary	5
:	2.	Serial port settings:	
;	3.	AT command syntax	6
	3	3.1 Syntax overview	ε
	3	3.2 AT command list	7
		Basic control commands	7
		Wake device	7
		Sleep device	7
		Reset	7
		Restore factory settings	7
		Disable copyright information print	8
		Query the chip's Unique ID	8
		Enter serial number to activate Arduino support	8
		LoRaWAN mode / normal LoRa mode switching	9
		User AT Command	10
		User AT command execution logic	11
		"LoRa Normal Mode" Proprietary Command	11
		Set LoRa listening/sending parameter	11
		Receive mode	12
		Receive data output mode selection	12
		LoRaWAN mode proprietary commands	13
		Set DevEui	13
		Set AppEui	13
		Set AppKey	13
		Set NwkSKey	14
		Set AppSKey	15
		Set DevAddr	15
		Set OTAA / ABP mode	15
		Configure ADR	16
		Configure LoRaWAN channel masks;	16
		Trigger OTAA access	17

9	Set communication cycle DutyCycle	17
9	Set communication mode Class A / C	18
-	Turn ACK on / off	18
(	Configure fport	19
9	Set the number of retransmissions (if the transmission fails)	20
Ser	nd data	21
9	Send Hex Data	21
!	Send string	22
4. Ap	olication examples	23
4.1	Sending data through LoRa normal mode	23
4.2	Sending data through LoRaWAN mode	23
Ontact us		2/

# 1. Summary

This document is applicable to all modules and development boards of the CubeCell series. LoRaWAN protocol has been integrated in the AT command, which can directly communicate with LoRaWAN base station.

CubeCell series module (HTCC-AMxx) can support AT command by default.

The default of CubeCell Dev-Board is factory test program. Support AT command need to programming this example code into Dev-Boards:

https://github.com/HelTecAutomation/ASR650x-

Arduino/blob/master/libraries/LoRa/examples/PASSMODE/PASSMODE.ino

If this AT command example runs normally, the following contents will be print after resetting, and enter the sleep mode:

```
opyright @ 2019 Heltec Automation.All rights reserved.
LORAWAN=1
OTAA=1
 sTxConfirmed=1
                  DCCABF55EE4A778D16EF67(For ABP
                  63DFBE3D11181E1EC7DA85(For ABP
```

# 2. Serial port settings:

Baud rate: 115200

Stop bit: 1

Data bits: 8

DTR, RTS requirement: None

Ending characters: None

## https://heltec.org

July. 2020

# 3. AT command syntax

# 3.1 Syntax overview

- All AT command lines must start with "AT+".
- There is no ending character. Do not send a carriage return or a new line as the end.
- After reset, CubeCell will enter deep sleep mode after printing initial information and send "AT + XXX" wake-up device.
- The return response usually follows the command:
  - Successful execution return "+OK";
  - If the execution fails or the syntax format is wrong, return "+ERROR" and the corresponding prompt content at the same time.

July. 2020

# 3.2 AT command list

# Basic control commands

#### Wake device

Command	Response	
AT+XXX	ASR is Waked, LowPower Mode Stopped	
	After resetting, the device is in sleep state, and wakes up the	
Description	device through the serial port interrupt. In theory, sending any	
Description	data through the serial port can trigger the interrupt and wake up	
	the device. For example "ABC".	

#### Sleep device

Command	Response
AT . I DN4-1	+OK
AT+LPM=1	LowPower Mode Stared.
Description	Put the device into sleep mode.

#### Reset

Command	Response	
AT+RESET=1	Print power-on / reset information.	
Description	Device reset	

# **Restore factory settings**

Command	Response	
AT+DefaultSet=1	Print power-on / reset information	
Description	After restoring the factory settings, the parameters will enter	
Description	the sleep mode after the response ends.	

# Disable copyright information print

Command	Response	
AT   Copyright = 1	Enable/Disable copyright information print when boot loader	
AT+Copyright=1	mode begin. Default Enable.	
Description	Boot loader version higher than V1.0 (include V1.0) support	
	this command.	

# Query the chip's Unique ID

Command	Response	
AT (ChimID_2)	+OK	
AT+ChipID=?	+ChipID:13A*****622	
Description	Read the unique number of the chip, which can be used to query	
Description	the corresponding serial number (Query address)	

## **Enter serial number to activate Arduino support**

Command	Response	
	System	The board is activated, don't need to active again
AT+CDKEY=A8	activated	+The board is activated, don't need to active again
5****93****D		Activation successful:+The board is activated,
DC3*****1F0	System not	Arduino is supported!
23EDE6	activated	Activation failed:+ERROR: please input correct
		CDKEY.
	The content sent is not 32-bit capital characters, the character	
	content is limited to 0 to F.	
Description	- The development board is activated by default all the factory;	
	- Module is activated by default, but an inactive version can be	
	provided	and can be activated with this command if Arduino

support is required at a later stage.

The serial number slyly queried from the website is as follows:

0x9CF2E059,0xFC613F26,0x174F6BAA,0xDC70F73B

All"0x"and "Commas" need to be removed when using as an activation code.

#### LoRaWAN mode / normal LoRa mode switching

Command	Response		
	+OK		
AT LLOD AVA AV.	+LORAWAN=0		
AT+LORAWAN=?	+OK		
	+LORAWAN=1		
	Find current LoRaWAN support:		
	- The return value is 0, normal LoRa mode;		
	- Return value is 1, LoRaWAN protocol mode .		
Description	- The AT command supports the LoRaWAN protocol by		
	default. You can switch the LoRaWAN protocol or the		
	normal LoRa sending and receiving mode by changing the		
	variables of this command.		
	1. +OK		
	2. +LORAWAN=0		
	3. Copyright @ 2019 Heltec Automation.All rights reserved		
	4.		
AT+LORAWAN=0	5. +LORAWAN=0		
	6.		
	7. +FREQ=470000000		
	8. +SF=7		
	9. +TxPower=10		
Description	When the response is complete, the system goes into		

	hibernation.		
	In this mode, the radio signal is transmitted via the SX1262 chip,		
and the operation of the pure hardware layer does not run an			
	protocol stodgy and can be used for spectral debugging or		
	simple transceiver testing.		
AT+LORAWAN=1	Print power-up/reset information.		
Danadation	When the response is complete, the system goes into		
Description	hibernation and the device supports the LoRaWAN protocol.		

#### **User AT Command**

Users may need special commands. Here's an example of adding user commands to CubeCell. In this example, we added a test command: "AT-test-abcd", if sending "ATtest-abcd" to CubeCell via serial port, the CubeCell returns "abcd".

```
RaWan ClassC start!
     Waked, LowPower Mode Stopped
单条发送 多条发送 协议传输 帮助
AT+test=hello
```

https://github.com/HelTecAutomation/ASR650x-

<u>Arduino/blob/master/libraries/LoRa/examples/AT Command/AT Command.ino</u>

User-owned AT commands can be modified in the examples above.

#### **User AT command execution logic**

When the system receives each AT instruction, it prioritizes comparisons with user-defined fields within the AT\_user\_check function. If the return value of the function is **true**, the user-defined program within the function is executed. If the return value is **false**, the function is skipped to match the system's default AT commands.

"LoRa Normal Mode" Proprietary Command

#### Set LoRa listening/sending parameter

Command	Response								
AT+LoraSet=?	+OK								
AITLOIdSet-!	+LoraPara:868000000,18,12,0,1,8,1,0,0								
	The parameters sequence (0 – FALSE; 1 TRUE)								
Description <sup>1</sup>	frequency	power	SF	BW		Preamble	CRC	IQ	Save to FLASH
		power	31	DVV	rate	length	CKC	Invert	Save to FLASIT
	868MHz	18dBm	12	0	1	8	1	0	0
AT+LoraSet=868000000,18,	+OK								
12,0,1,8,1,0,0	+LoraPara:868000000,18,12,0,1,8,1,0								
Description	Set LoRa node-to-node communication parameters.								

<sup>&</sup>lt;sup>1</sup> LoRa node-to-node communication parameters description:

#### https://heltec.org

Data Sheet V0.4 P 11 / 24 July. 2020 Heltec Automation © Limited standard files

<sup>•</sup> Frequency: Set LoRa listening/sending frequency in Hz.

Power: LoRa signal output power in dBm;

<sup>•</sup> SF: Spreading factor, from 5~12

<sup>●</sup> BW: Bandwidth 0 – 125K, 1 – 250K, 2 – 500K;

<sup>●</sup> Code rate: 1 – 4/5, 2 – 4/6, 3 – 4/7, 4 – 4/8;

<sup>•</sup> Preamble Length: Preamble Length from 8~65535 bit;

<sup>•</sup> CRC check: 0 – disable CRC check, 1 – enable CRC check;

<sup>•</sup> IQ Invert: 0 -- not inverted, 1 - inverted;

Save to FLASH: Save parameters to FLASH, 0 − not save, 1 − save.

#### **Receive mode**

Command	Response
AT+RX=0	+OK
AITRA-U	+RX=0
	The device is in receive mode with no timeout;
	Keep the device in a listening state, the listening
Description.	frequency, the spread factor and the emission parameters
Description	are the same until the data is received and the listening
	state ends. To receive data again, you need to go from
	new to listening mode.
AT . DV . 4000	+OK
AT+RX=1000	+RX=1000
	The device is in receive mode, timeout 1000ms;
Description	If no data is received within 1000ms, "RX Timeout" is
	output.

## Receive data output mode selection

Command	Response		
AT+PrintMode=?	+OK		
AI+Printiviode=?	+PrintMode=0		
	Query the current received data output mode:		
Description	- Return value 0: string output;		
	- Return value 1:hex output.		
AT+PrintMode=1	+OK		
AI+PIIIIIVIOGE-I	+PrintMode=1		
	Set the device to hexadecimal output format, the data		
Description	received in RX mode will be printed in hexadecimal form.		

The parameters are only 0 or 1.	
---------------------------------	--

# LoRaWAN mode proprietary commands

#### Set DevEui

Command	Response	
AT+DevEui=?	+OK	
	+DevEui=2232330000888802(For OTAA Mode)	
Description	Output DevEui in the current system, for OTAA mode;	
AT+DevEui=888888888	+OK	
888888	+DevEui=8888888888888888(For OTAA Mode)	
	Set DevEui to 888888888888888;	
Description	16-bit length, parastatal hexadecimal characters from 0 to	
	F only.	

#### **Set AppEui**

Command	Response	
AT+AppEui=?	+OK	
	+AppEui=0000000000000000(For OTAA Mode)	
Description	Output AppEui in the current system for OTAA mode;	
AT+AppEui=888888888	+OK	
888888	+AppEui=8888888888888888(For OTAA Mode)	
	Set AppEui to 88888888888888;	
Description	16-bit length, parastatal hexadecimal characters from 0 to	
	F only.	

#### **Set AppKey**

Command	Response
---------	----------

	+OK
AT+AppKey=?	+AppKey=888888888888888888888888886601(For
	OTAA Mode)
Description	Output the AppKey in the current system for OTAA mode;
AT+AppKey=88888888	+OK
888888888888888888	+AppKey=888888888888888888888888888888888888
88888	OTAA Mode)
	Set AppKey to:
Description	888888888888888888888888888888888888888
Description	Length 32-bit, parastatal hexadecimal characters from 0
	to F only.

# Set NwkSKey

Command	Response	
	+OK	
AT+NwkSKey=?	+NwkSKey=D72C7****DCCA****EE4A7****6EF67(For	
	ABP Mode)	
Description	Output snout in the current system for NwkSKeyfor ABP	
Description	mode;	
AT+NwkSKey=8888888	+OK	
888888888888888888	+NwkSKey=888888888888888888888888888888888888	
888888	ABP Mode)	
	Set NwkSKey to:	
Description	888888888888888888888888888888888888888	
	Length 32-bit, parastatal hexadecimal characters from 0	
	to F only.	

#### **Set AppSKey**

Command	Response
	+OK
AT+AppSKey=?	+AppSKey=15B1D****463D****D1118****C7DA85(For
	ABP Mode)
Description	Output AppSKey in the current system for ABP mode;
AT+AppSKey=8888888	+OK
888888888888888888	+AppSKey=888888888888888888888888888888888888
888888	ABP Mode)
	Set AppSKey to:
Description	888888888888888888888888888888888888888
	Length 32-bit, parastatal hexadecimal characters from 0
	to F only.

#### Set DevAddr

Command	Response	
AT+DevAddr=?	+OK	
	+DevAddr=007E6AE1(For ABP Mode)	
Description	Output DevAddrin the current systemfor ABP mode;	
AT+DevAddr=88888888	+OK	
	+DevAddr=88888888(For ABP Mode)	
	Set DevAddr to:88888888;	
Description	Length 32-bit, parastatal hexadecimal characters from 0	
	toF only.	

# Set OTAA / ABP mode

Command	Response
AT+OTAA=?	+OK

#### https://heltec.org

Data Sheet V0.4 P 15 / 24 July. 2020 Heltec Automation © Limited standard files

	+OTAA=1
	+OK
	+OTAA=0
Description	Return value 1 (default): OTAA mode.
	Return value 0: ABP mode.
AT+OTAA=0	+OK
	+OTAA=0
Description	Switch to ABP mode with only 0 or 1 parameters.

## **Configure ADR**

Command	Response	
	+OK	
AT+ADR=?	+ADR=1	
AITADK-!	+OK	
	+ADR=0	
Description	Return value 1 (default): ADR function is on;	
	Return value 0: ADR function is disabled.	
AT LADB-0	+OK	
AT+ADR=0	+ADR=0	
Description	Disable the ADR function, the parameter is only 0 or 1.	

#### **Configure LoRaWAN channel masks**

About LoRaWAN channel masks, this document may makes sense to you:

https://heltec-automation-

docs.readthedocs.io/en/latest/general/sub band usage.html

Command	Response		
AT I Ch Mark - 2	+OK		
AT+ChMask=?	+ChMask=000000000000000000000000000000000000		
Description	Current LoRaWAN working channels are 0~7.		
AT+ChMask=00000000	+OK		
00000000000FF00	+ChMask=000000000000000000FF00		
	This command had set LoRaWAN working channels to		
	8~15.		
Description	If this command running before join, must reset		
	hardware. If the device already joined, it will effective in		
	next send.		

# **Trigger OTAA access**

Command	Response	
	Start getting into the net	+OK joining
AT+Join=1	Successful +OK access to the network joiningjoined	
Description	After the equipment is powered off or reset, a new network is required from the new.	

# Set communication cycle DutyCycle

Command	Response
AT+DutyCycle=?	+OK +DutyCycle=15000

Description	Return values in milliseconds, in this case, communication	
Description	with the gateway every 15 seconds.	
AT+DutyCycle=60000	+OK	
	+DutyCycle=60000	
Description	In this example, set the communication period to 60	
	seconds.	
	You can set a maximum of 65535000, per millisecond, and	
	after setting it, it will take effect the next time the data is	
	sent.	

# Set communication mode Class A / C

Command	Response	
AT+Class=?	+OK +Class=A	
Description	The return value is Class A or Class C, which represents the corresponding working mode.	
AT+Class=C	+OK +Class=C	
Description	Only AT + Class = A or AT + Class = C is valid.  After setting up, the next time the data is sent takes effect.	

# Turn ACK on / off

Command	Response
AT+IsTxConfirmed=?	+OK +IsTxConfirmed=1

Description	The ACK receipt (communication confirmation) feature is turned on by default. After receiving the uplink, the gateway sends a Downlink to inform the node that the	
	data has been received.	
AT LISTUCO INSIGNA CIDE	+OK	
AT+IsTxConfirmed=0	+IsTxConfirmed=0	
	Turn off ACK receipt.	
Description	Because of the ADR feature, there will still be Downlink	
Description	data printing in this mode if parameters such as the	
	node's rate are automatically adjusted.	
AT+IsTxConfirmed=1	+OK	
	+IsTxConfirmed=1	
	Turn on the ACK receipt. After setting, it will take effect	
Description	when the next data is sent.	

# **Configure fport**

Command	Response	
AT+AppPort=?	+OK +AppPort=2	
Description	Query the current upstream data port.	
AT+AppPort=5	+OK +AppPort=5	
Description	Set fport to 5, and the parameter range is 0 $\sim$ 255. After setting up, the next time the data is sent takes effect.	

# Set the number of retransmissions (if the transmission fails)

Command	Response	
AT+ ConfirmedNbTrials=?	+OK +ConfirmedNbTrials=8	
Description	If communication fails, the system retransmits data to the gateway 8 times by default, changing the rate every 2 times to try to optimally transfer.	
AT+ ConfirmedNbTrials=3	+OK +ConfirmedNbTrials=3	
Description	Set the number of retransmissions to 3 and the parameter range is 3 ~ 8.  After setting, it will take effect the next time data is sent.	

# Send data

The following commands can be used in "LoRa Normal Mode" and "LoRaWAN Mode".

- LoRa Normal Mode: Data will be sent directly;
- LoRa mode: The data is encapsulated in a format that conforms to the LoRaWAN protocol before being sent out.

#### **Send Hex Data**

Command	Response	
AT+SendHex=AABBCC	LoRaWAN Mode	+OK +Send Hex Data:AABBCCDD012345
		confirmed uplink sending  The node communicates successfully with the gateway and receives the ACK issued by the
DD012345		gateway, which prints.  receive data: rssi = -xx, snr = -x, datarate = x
	LoRa	+OK
	Normal mode	+Send Hex Data:AABBCCDD012345  TX done
	Send out hex strings,"0xAA, 0xBB, 0xCC, 0xDD, 0x01, 0x23, 0x45".	
Description		rs only 0 toF, must be even digits, two bits as

# **Send string**

Command	Response	
AT+SendStr=abcdefgh ijk	LoRaWAN mode	+OK  +Send String:abcdefghijk  confirmed uplink sending  The node communicates successfully with the gateway and receives the ACK issued by the gateway, which prints  receive data: rssi = -47, snr = -1, datarate = 0
	LoRa Normal mode	+OK +Send String:abcdefghijk TX done
Description	Send the string, "abcdefghijk".  ASCII characters only, up to 64 bytes.	

P 22 / 24

# 4. Application examples

## 4.1 Sending data through LoRa normal mode

- 1) Power on CubeCell (HTCC-AM0x module needs external low level to trigger reset);
- 2) Wake up the device: AT + XXX
- 3) Disable LoRaWAN protocol: AT + LORAWAN = 0
- 4) Set the working frequency to 470MHz: AT + FREQ = 470000000
- 5) Spread factor, transmit power to maintain default;
- 6) Send data: AT+SendStr=abcdefghijk

# 4.2 Sending data through LoRaWAN mode

This mode needs to work with the LoRa gateway.

- 1) Power on CubeCell (HTCC-AM0x module needs external low level to trigger reset);
- 2) Wake up the device: **AT + XXX**
- 3) Turn on LoRanWAN protocol support: AT + LORAWAN = 1
- 4) Switch to OTAA working mode: AT + OTAA = 1
- 5) <u>Parameters such as DevEui</u>, <u>AppKey</u>, etc. can remain default, but you need to ensure that they correspond to the parameters registered on the server;
- 6) Connect to the network (if the gateway is not powered off, connect to the network only once): AT + Join = 1
- 7) Send data after successful access to the internet, e.g.AT-SendHex-AABBCCDD012345
- 8) After sending the data, go into sleep mode if necessary: AT-LPM=1
- 9) If the device is woken up in the next cycle, the data can be sent directly without the need to access the network again.

# **Contact us**

- 成都惠利特自动化科技有限公司 (HelTec AutoMation)
- Chengdu, Sichuan Province, Longtan Industrial Park, Chenghong Road 18 Steel **Field B 13B10**
- Phone/Fax: +86-028-62374838
- Website: https://heltec.org/
- Business: echo@heltec.com
- Technical Support: <a href="mailto:support@heltec.com">support@heltec.com</a>